



Partners in Your Success

LittleGIANT®

Gastite®
The System is the Solution™



PIPE TOOLS & VISES
SINCE 1896



APCO-X®

FRESH-AIRE UV
The Indoor Air Quality Expert

JAVELIN™



TURBOTORCH®
AN ESAB® BRAND

WWW.BATTSCAN.CA
info@battscan.ca | 519-856-1380

2023
PRODUCT
GUIDE

LittleGIANT®

For 80 years, Little Giant products have stood the test of time, pumping a steady flow of proven reliability and superior technical know-how.

www.littlegiant.com | info@battscan.ca

CONDENSATE PUMPS



VCMA Series

- 554401 VCMA-15UL (115V)
- 554405 VCMA-15ULS (115V)
- 554425 VCMA-20ULS (115V)
- 554455 VCMA-20ULS (230V)



VCMA-20-PRO Series


High capacity, slim footprint, safety switch

- 554630 VCMA-20ULS-PRO (115v)
- 554621 VCMA-20UL-PRO (230v)



VCL Series Large Tank Capacity

- VCL-14ULS
- VCL-24ULS
- VCL-45ULS



VCCA Series Low Profile

- VCCA-20ULS
- VCCA-20-P (Plenum)



HT-VCL Series High-Temperature Plenum

- HT-VCL-30-P
- HT-VCL-60-P



Mini-Split
EC-1-DV
Dual voltage

SEWAGE, GRINDER PUMPS & SYSTEMS



9SC Series

- 4/10 HP
- Switch: Piggyback/Vertical



BSWC50T

- Builder Grade
- 1/2 HP
- Switch: Tethered



16G Grinder Series

- 1HP, 115V or 230V
- Switch: Tethered/Vertical/Manual



Pit Plus Jr. Sewage & Grinder Systems

24" x 24" basin; Choice of vent, discharge, 115V Sewage options: 4/10HP & 1/2HP, mech float/ECM switch
Grinder: 1HP, mechanical float switch, 2"V, 2"D Packages also available in Pit Plus Sr. 20"x30" basin. Other Simplex & Duplex systems available.

SUMP & EFFLUENT PUMPS & SYSTEMS



6 Series Sump

- 1/3HP, 115V
- Switch: Diaphragm, Piggyback mechanical, manual



BSP Series Sump Builder Grade

- 1/3HP & 1/2 HP
- 115V, Thermoplastic



BSC Series Sump Builder Grade

- 1/3HP & 1/2HP
- 115V, Cast Iron
- Switch: Vertical & Tethered



12E Series Effluent

- 1/2HP, 115V Cast Iron
- Manual or piggyback mechanical switch



WRS Series DRAINOSAUR® & DRAINOSAUR JR.®

- Pre-assembled, ready to install
- 3.5 & 5 gallon basin options
- HP: 1/6, 1/3, & 4/10 hp
- Multiple switch options

WATER PRESSURE BOOSTING

INLINE CP (Item 90411101)

- 1-1/2 hp motor
- Easy installation
- Handles up to 35 gpm
- Stainless steel construction
- NEMA 4 electronics enclosure



INLINE CONTROLS

- Assortment of motor size options
- Automatic start on-demand
- Run-dry protection
- 150° F (65.5° C) maximum temperature
- Eliminates the need for a bladder tank and pressure switch



TURBOTORCH

AN ESAB® BRAND

TurboTorch's premium quality brazing and soldering products for air-fuel, oxy-fuel and MAP-Pro/LP gas. TurboTorch also offer nitrogen purge kits, nitrogen regulators and nitrogen cylinder totes.

www.battscan.ca/TurboTorch | info@battscan.ca

AIR ACETYLENE

SELF LIGHTING TORCH KITS



Extreme Self Lighting Torch Kits includes regulator, quick disconnect handle, hose, tip.

Model PL-8ADLX-B (0386-0835)

Other kits available.



Replacement tips

PL-3A 0386-0874

PL-5A 0386-0818

PL-8A 0386-0835

PL-12A 0386-0820

SOF-FLAME TORCH KITS



WSF-3 0386-0089

WSF-4 0386-0090

Kit Includes: regulator, handle, AH-12 hose, S-4 tips, tank connection, manual.



AIR ACETYLENE TOTE OUTFIT

TDLX 2010B 0386-0578

Includes: durable tote case, PL-8A and A-3 tips, G4 handle, AR-B regulator, AH-12 hose, tank key.

EXTREME STANDARD TORCH KITS



Item No.	EXTREME STANDARD TORCH KITS
0386-0335	X-3B PLUMB & REFRIG KIT
0386-0336	X-4B AC REFRIG KIT
0386-0338	X-5B HIGH HEAT STARTER KIT
0386-0339	X-6MC SERVICEMAN'S KIT-MC

Other kits available

Item No.	REPLACEMENT TIPS
0386-0101	A-3 High Heat Acetylene Tip
0386-0102	A-5 High Heat Acetylene Tip
0386-0103	A-8 High Heat Acetylene Tip
0386-0104	A-11 High Heat Acetylene Tip
0386-0105	A-14 High Heat Acetylene Tip

Other tip sizes available

MAP-PRO & PROPANE

EXTREME SELF LIGHTING TORCHES

TX503 0386-1297

TX504 0386-1293

TX500 0386-1299 includes both T-503 & T-504 tips

Other torches & replacement tips avail.

EXTREME TORCHES

STK-99 0386-0851

includes STK-R regulator,

ST-33 self lighting tip.

Other torches available.

OXYFUEL PORTABLE OUTFITS



Available in Victor J Series (light duty) & Victor 100 Series (medium duty)

NITROGEN PURGE

HYBRID NITROGEN PURGE REGULATOR

EDGE 2.0
ESS32-PFH-580
0781-3652



250 SERIES REGULATOR

DP250-800-582 (0386-0857)
GP250-500-580 (0386-0875)



ACCESSORIES

0386-1090	AH-12 Hose Acetylene 12ft.
0386-0561	PL-812 Torch Shield
0386-1226	TK Tank Key
1423-0023	L-1 Round File Spark Flints
1423-0024	F-1 Rep Lighter Flints

NITROGEN FLOWMETER

NFM-TT
0386-0849



DELUXE PORTABLE TORCH KIT

PL-DLXPT 0386-1397

Includes: durable tote bag, self lighting PL-3T tip, H-4 handle, STK-R regulator (CGA-600), 12 ft TS-12 hose, hose clamp.





Leader in portable testing and measuring equipment.
Formerly known as UEi Test Instruments.

www.kanetest.ca | info@battscan.ca

CLAMP METERS



KANE599

- ECM Measurement
- Low Z / Low Pass Filter
- Auto Volts / Amps Selection
- Wireless to App



KANE589

- DC Amps
- Temp differential
- LRA inrush
- High-Voltage Alert



KANE579

- True RMS
- Temperature
- Backlight/Worklight
- Magnetic Mount
- Low Z

FEATURE:	Part #	KANE599	KANE589	KANE579
AC/DC Volts & AC Amps		●	●	●
AC/DC Microamps		●	●	●
Resistance		●	●	●
Continuity/Diode Test		●	●	●
Dual Display		●	●	●
Min/Max/Hold		●	●	●
High-Voltage Alert		●	●	●
Capacitance		●	●	●
Frequency/Duty Cycle		●	●	●
Non-Contact Voltage Detection		●	●	●
Temperature		●	●	●
Backlight/ Worklight		●	●	●
True RMS		●	●	●
LRA Inrush		●	●	●
Low Z		●	●	●
Magnetic Mount		●	●	●
DC Amps/DC Zero		●	●	
Differential Temperature		●	●	
Wireless to App		●		
3-Phase Motor Rotation Test		●		
Unbalanced Load Test		●		
Low Pass Filter		●		
Auto selection AC and DC in Volts and Amps		●		
Warranty		1 yr Limited	1 yr Limited	1 yr Limited

HUB8 Smart Refrigeration Probes Deluxe Kit with Vacuum Gauge

The most complete and convenient wireless refrigeration probe kit available.



HUB8 KIT

HUB6 & HUB4 Kits also available

- The only complete integrated solution in the industry today.
- Capability to measure outdoor temperature to enable Real-Time Target Superheat Calculation.
- More accurate, efficient and cost-effective charge on the system.
- Integrates a wireless vacuum gauge so all the information you need for the job is in one place.



COMBUSTION

KANE458S



- **Measures:** CO, CO2, differential temperature, differential pressure
- **Calculates:** O2, CO/CO2 ratio, Losses, Efficiency
- High Altitude Compensation
- Over-range protection pump helps protect CO sensor
- NOX upgradeable
- Wireless temperature probes for flow and return boiler and radiator temperatures
- 6 line backlit display
- 1-Year limited warranty
- **INCLUDED:** Case, Probe, USB Charge cord, Pipe Clamps
- **Also available:** KANE358, KANE258, and kits with printer



BEST AFTER SALES SUPPORT!

10-year Warranty with Annual Recertification

- Canadian based sales & technical support
- All inclusive fixed pricing
- 2-Day recertification upon arrival at Kane
- Free Return courier to your location
- Theft protection - **25% off** when replacing your obsolete or stolen KANE analyser
- Exclusive email offers
- Applies to KANE258, KANE358 & KANE458S and all their configurations.

For more information on KANE CARE annual recertification and pricing, visit www.battscan.ca/kane



FEATURE:	Part #	KANE458S	KANE358	KANE258
CO Sensor		✓	✓	✓
CO2 Sensor		MEASURED	MEASURED	MEASURED
O2 Calculated		✓	✓	✓
Heat Exchanger Test		✓	✓	✓
Over-Range Pump		✓	✓	✓
Room CO Test		✓	✓	✓
Wireless to APP		✓	✓	
Draft		✓	✓	
Differential Pressure		✓	✓	
NO Sensor (Upgrade)		✓		
Wireless Pipe Clamps		✓		
Wireless Air Flow		✓		



KANE T-CAM
Thermal Imaging Camera



KANE 700
Combustible Gas Leak Detector



COA2
Wireless CO Detector



DTHA2
Wireless Airflow Temperature Humidity Adapter



WRS110
Wireless Scale
110 lbs capacity



KANE 3300
Dual Differential Manometer
+/- 60" H₂O



DMG150
Digital Micron Gauge
0 - 15000 microns



KANE INF165C
IR Thermometer
Range: -76°F to 1022°F
(-60°C to 550°C Operating
32°-122°F (0°-50°C))
Ratio 12:1



KANE NCV3
VOLTAGE TESTER
24-1000 VAC,
worklight,
CAT IV 1000V



RLD15B
Refrigerant Leak Detector w/ Solid Electrolyte Sensor

FRESH-AIRE UV

The Indoor Air Quality Expert

www.freshaireuv.com

info@battscan.ca

RESIDENTIAL

APCO-X


APCO-X & Purity PLP = The Complete IAQ Solution!

APCO X In-Duct Air Purifier with Advanced V-Twin EverCarbon Matrix™

Warranty: 3 year lamp & LIFETIME parts

Models:

- TUV-APCOX-ER3 (18-32 Volts)
- TUV-APCOX-SI3P (120-277V)
- TUV-APCOX-DER3 (18-32 Volts with Second lamp)
- TUV-APCOX-DI3P (120-277 Volts with Second lamp)




MINI UV LED
TUV-MINI-LED-SW
120-277 V LED UV System for Mini-Splits with On/Off switch.

Warranty: 5 years all parts



ENHANCE-ION
TUV-BIPO-ER **NEW**

Increased filtration efficiency with proven bipolar technology. Easy install into AHU or ductwork
Warranty: 3 years




Purity PLP
Model# TUV-PLP-1625
24V Purity Low Profile Filter 16" x 25", includes 1 extra pad, power cable.

Warranty: Lifetime except media. All sizes available.



Mold thrives on mini-split blower wheels.




Inhibits mold growth, extends mini-split life, easy to install



APCO-X MAG Air Treatment System

- TUV-APCOX-MAG15-ER3 (24 VAC)
- TUV-APCOX-MAG15-ST3 (120 VAC - 277 VAC)



AIRE-FOIL

UPPER AIR UVC DISINFECTION
Dual high-output UVC germicidal lamp length: 15", 24", 32", or 60"
Quick & simple installation
2 year UVC lamp life.



BLUE-TUBE UV-X

Germicidal UV Light
TUV-BTX-ER3
TUV-BTX-ST3

COMMERCIAL

Commercial Sizing Chart – www.battscan.ca/fauv

Standard Commercial UV Light System

Model: TUV-C-xx



Environmental Surface Disinfection System

Model: TUV-ESDS-xx



Airborne Duct System

Model: TUV-ADS-X



ICE UV & ICE UV Mini


Model: TUV-ICE-x

Model: TUV-ICE-MINI-x



CANNABIS / AGRICULTURAL

UV is a powerful tool for **cannabis operations** to maximize yields and achieve the highest quality, healthiest product possible.



Cannabis crop growers often struggle with the fungus that causes powdery mildew spread by airborne transmission. Fresh-Aire UV ultraviolet germicidal irradiation (UVGI) systems are proven to sterilize airborne bacteria, mold and fungus and prevent them from being transmitted throughout a facility.

- Air Handler & Air Stream Disinfection
- Airborne Disinfection System (ADS)
- Odor Exhaust Oxidation (OEO) System

Agriculture operations, both large and small, face a unique set of challenges from mold, fungus, bacteria and diseases that are caused by cross-contamination, airborne contamination and sanitary conditions within growing and processing facilities. HVAC equipment, in particular, can be a major source of contamination. Fresh-Aire UV offers a variety of disinfection solutions for agriculture.

Ag facilities benefit from this technology in several ways such as:

- Air Handler Disinfection
- Air Stream Disinfection
- Surface Applications
- Exhaust Odor Control



Gastite®


The System is the Solution™



GASTITE SYSTEM

Gastite has been a pioneer in fuel gas piping for more than twenty years and continues to set the standard in the industry.

www.gastite.com | info@battscan.ca



UNDERGROUND SYSTEM

GET CSST CERTIFIED We run free training sessions across Ontario.


NEW



THE NEXT EVOLUTION OF LINE SETS

Python™ is a PERT-AL-PERT line set and compression fitting system designed for both split system and mini-split system applications including heat pump systems.

www.pythonls.com | info@battscan.ca



Python™ comes in both insulated and non-insulated for use in HVAC systems for industrial, commercial and residential applications.



FEATURES

- Alternate to copper pipe
- Lightweight: half the weight of copper pipe
- Chemical, UV & Kink Resistant
- Less likely to be stolen on job sites
- Compression crimp fittings can be applied in the field without the use of special press tools
- No need for a torch on site
- Can be direct buried (check regional code)

SPECS

- Maximum Design Pressure: 1/4" - 3/4" at 700psi, 7/8" at 650psi
- Maximum Design Temperature: 203°F
- ID & Flow Rates: Same as Copper Pipe
- Approved Refrigerants: R410a, R32, R454b
- Available Pipe Sizes: 1/4", 3/8", 1/2", 5/8", 3/4", 7/8"
- Pipe Marked Every Foot

INSULATION

- Completely Recyclable
- Non-Porous, Fiber-Free: Closed-Cell Insulation Resists Mold Growth
- Manufactured Without CFCs, HCFCs, HFCs, PBDEs and Formaldehyde
- Year-Round Pipe Protection from Freezing and Condensation
- Tear Resistant



Gastite®
The System is the Solution™


- No bond required
- S102 smoke and flame rating
- Insulated UV protected outer jacket layer
- Lightning proof and resists household fault current arcs
- CSA documented reusable fittings
- Approved for incidental contact with metallic building systems

Contact us to register at the next training near you and **GET CERTIFIED!**



PYTHON PIPE CUTTER

Item:
GTCUTTER-SM
(3/8" - 1")



Item No.	INSULATED LINE SETS in 50 ft coils, also available in 300 ft coils
5030	1/4" NPS x 1/2" INS x 50' Coil
5130	3/8" NPS x 1/2" INS x 50' Coil
5230	1/2" NPS x 1/2" INS x 50' Coil
5330	5/8" NPS x 1/2" INS x 50' Coil
5430	3/4" NPS x 1/2" INS x 50' Coil
5530	7/8" NPS x 1/2" INS x 50' Coil

Item No.	PYTHON CHAMFERING TOOL
7000	Small 1/4", 3/8", 1/2"
7001	Large 5/8", 3/4", 7/8"



COMPRESSION FITTING ASSEMBLIES

Python compression fitting assemblies are made of solid brass construction and can be applied in the field without the use of special tools.

Available in sizes:

1/4", 3/8", 1/2", 5/8", 3/4", 7/8"



- **SPLIT SYSTEM CONNECTIONS** - Flared threaded male connection to flare nut on brazed copper
- **MINI-SPLIT CONNECTIONS** - Flared female threaded connection to king valve
- **FEMALE COMPRESSION FITTING ASSEMBLY**
- **MALE COMPRESSION FITTING ASSEMBLY**
- **COUPLER COMPRESSION FITTING ASSEMBLY**
- **COPPER STUBS, FLARE NUT, MALE FLARE ELBOW**



PIPE TOOLS & VISES
SINCE 1896

Solutions Kits

04142	TC2PPDEB1-2SK	TC2QPVC, DEB1IPS & DEB1-2IPS
04155	TC3-636SK	TC3QPVC, DEB4, & IC1SL
04156	TC4-636SK	TC4QPVC, DEB4, & IC1SL
04157	TC2-PPSK	TC2QPVC, DEB4 & DEB1IPS
04162	TC-AQRSK	TC2QPVC, TC4QPVC, DEB4 & DEB1IPS

Plastic case included with all sets.



TC3-636SK



TC-AQRSK

Deburring Tools, Manual

04650	DEB1IPS	IPS 1/2", 3/4", 1" nom.
04652	DEB1CTS	CTS 1/2", 3/4", 1" nom.
04430	DEB4	1-1/4", 1-1/2", 2", 2-1/2", 3", 4" nom.
04654	DEB1-2IPS	IPS 1-1/4", 1-1/2", 2" nom.
04656	DEB1-2CTS	CTS 1-1/4", 1-1/2", 2" nom.



DEB1IPS



DEB4

Deburring Tools, Drill-Powered

04651	PDEB1IPS	IPS 1/2", 3/4", 1" nom.
04657	PDEB1-2IPS	IPS 1-1/4", 1-1/2", 2" nom.

Suitable for PVC, CPVC, PE, ABS and PP. Deburr and chamfer in the same rotation.



PDEB1-2IPS

Quick Release™ Tubing Cutters for PVC

04124	TC2QPVC	Cuts 1/4" - 2-5/8" PVC
04134	TC3QPVC	Cuts 3/8" - 3-1/2" PVC
04144	TC4QPVC	Cuts 1 7/8" - 4-1/2" PVC
04164	TC6QPVC	Cuts 4" - 6-5/8" PVC

With a simple wheel change, Quick Release™ cutters can be used for a variety of plastic pipe including PE, PP, and ABS. Ask for details or check www.reedmfgo.com.



TC4QPVC

Internal Pipe Cutter

04505	IC1SL	Cuts 1-1/4" minimum I.D. using saw-toothed blade
-------	-------	--



IC1SL

Clean Ream Extreme® Plastic Pipe Fitting Reamers

04524	PPR150	Reams 1-1/2"
04525	PPR200	Reams 2"
04532	PPR250	Reams 2 1/2"
04526	PPR300	Reams 3"
04527	PPR400	Reams 4"
04528	PPRK4	Kit with PPR150, PPR200, PPR300, PPR400 in a case
04564	TFR400	Removes 4" PVC toilet flanges



PPR200



PPR150



TFR400

@bgthelumber91

Cutter Wheels for PVC

04184	1-2PVC	Wheel for PVC, CPVC, PVDF
64184	2PK-1-2PVC	2-PACK 1-2PVC Cutter Wheels
04194	3-6PVC	Wheel for 3" - 6" PVC; 4" Heavy Wall, CPVC
64194	2PK-3-6PVC	2-PACK 3-6PVC Cutter Wheels
04192	680PVC	Wheel for Schedule 80 PVC, CPVC



Above is just a sample of the wide range of cutter wheels offered by Reed. Along with the wheels for PVC, Reed also has wheels for PE, PEX, PP, ABS, CPVC, thick wall PE, and copper, aluminum, brass, and steel tubing. Check www.reedmfgo.com.

C Cutters

03413	TCK75SLR	3/4"
03402	TCK3SL	1/2", 3/4", 1" Kit
03403	TC5075SLR	1/2" - 3/4" Adjustable
03412	TCK50SLR	1/2"
03414	TCK1SLR	1"

TCK3SL



Ratchet & Scissor Shears

04175	RS1PLT	Ratchet Shears with Plated Blade, 1-1/4" nom. IPS
04176	RS1	Ratchet Shears, 1-1/4" nom. IPS
04177	RS2	Ratchet Shears, 2" nom. IPS
04182	RS7290	Ratchet Shears, one-hand style, 2-3/8" for PE
04276	RSP1	Ratchet Shears with Pointed Blade, 1-1/4" nom. IPS
04277	RSP2	Ratchet Shears with Pointed Blade, 2" nom. IPS
04174	SC1	Scissor Shears, 1"
04178	SC125	Scissor Shears, 1-1/4"



RS1



RSP1

Bevel Boss® Cordless Pipe Beveler

04659	CPBDK	Creates 15° external bevel, up to 5/8" long
-------	-------	---

Kit with CPB Beveler Attachment Head, Router Bit, DeWalt® Die Grinder, Battery & Charger



Adapter Heads for Die Grinders

04646	CPBBADP	Adapts Bosch® die grinder
04648	CPBDADP	Adapts DeWalt® die grinder
04649	CPBMADP	Adapts Milwaukee® 2784-22 & 2784-20
04671	CPBMADP29	Adapts Milwaukee® 2984-20 & 2939-20

Adapt popular die grinders to serve as plastic pipe bevelers.



Large Diameter Plastic Pipe Bevel Tools

04395	BT1	Beveler, 1-1/2" - 8"
04398	BT2	Beveler, 1-1/2" - 12"



BT1

Torpedo Levels

06214	LV6WW	Aluminum level for waterworks, 6.5 inches
06213	LV9PLB	Aluminum level for plumbing, 9 inches



LV6WW



PIPE TOOLS & VISES
SINCE 1896

Valve Keys

02366 VK3CK1EXT3 Main Valve Key + 1" Curb Key + 3' Ext
02341 VKP Pivoting Valve Key for 2" Operating Nut, Adjustable



Other sizes available.
www.reedmfgco.com



VK3CK1EXT3

Hydrostatic Test Pumps

08177 DPHTP500 DPHTP500 Drill Powered Test Pump, 1.3 Gpm
08175 EHTP500C EHTP500C Test Pump, 110v, 2 Gpm, W/Cage
08170 EHTP500 EHTP500C Test Pump, 110v, 2 Gpm

EHTP500C



Cordless Power Drive

05258 CPDWW Cordless Power Drive for Tap/Drill or Valve Exercising



For details go to:
www.reedmfgco.com



CPDWW

Tripod Pipe Vises

04456 R450PAL Tripod with Aluminum Legs for lighter weight jobs
04457 R450P Tripod with Dual-sided Rubber-Coated and Regular Jaws
99077 450PJ Pair of Dual-sided Replacement Rubber-Coated/Regular Jaws

R450PAL



450PJ

Plastic Pipe Joiners

04446 PPJ Pipe Joiner
04441 PPJVS Universal Saddles Only, Pair, 4" - 16"

+ Saddles for Plastic Pipe Joiners

04442 PPJ4S 4.500" Actual, Pair
04444 PPJ6S 6.625" Actual, Pair
04447 PPJ8S 8.625" Actual, Pair
04448 PPJ10S 10.750" Actual, Pair
04449 PPJ12S 12.750" Actual, Pair

Size specific for solvent cement connections.



PPJ and PPJVS in use on gasketed pipe

Universal Pipe Cutter for PVC


07512 UPC616 Pipe Diameter 6"-16" nom.
PVC Sch. 40, C900/C905, CPVC

+ Blades for Universal Pipe Cutter

97510 UPCARB4 6" Pipe Diameter
97514 UPCARB6 8" - 48" Pipe Diameter

Pneumatic powered and blades sold separately.

UPC616



PE Squeeze Tools

04290 PES1IPS/CTS 1/2" - 1" IPS/CTS
04302 PES2IPS 1/2" - 2" IPS
04304 PES2CTS 1/2" - 2" CTS
04336 PES4DB 2" - 4" Double Bar
04313 PES6M 3" - 6", Manual
04308 PES8M 3" - 8", Manual
04309 PES8H 3" - 8", Hydraulic
04322 PES2-2IPS 1/2" - 2" CTS, Double-Bar Squeeze Points
04324 PES2-2CTS 1/2" - 2" IPS, Double-Bar Squeeze Points

PES2, PES4, PES6, and PES8 also work for metric pipe, with the proper stops.



REED Bear Hug™ PE Squeeze Tool System



PES8BT



For details go to:
www.reedmfgco.com



Guillotine Cutters



04605 HPC4+ 1 1/2" -- 4" capacity
04609 HPC8+ 3" - 8" capacity
04612 HPC12 4" - 12" capacity

+ Static Grounding Accessory and Discharge Alarms Available

HPC8+



Drilling Machines

04402 DMPVC PVC Drilling Machine for 3/4" & 1" with Corp Adapters & Box Only
04404 DMPVCCOMPLETE DMPVCBASE, Corp Adapters & PVC Shell Cutters for 3/4" & 1" in a plastic case
09168 FTP2000UNIV Feed Tap™ Complete Kit for 3/4" - 2"

DMPVCCOMPLETE



PEX Crimpers

04900 PXC12S 1/2" capacity with 8-3/4" handle
04903 PXC134S 3/4" capacity with 9" handle
04904 PXC1M 1" capacity with 11-1/2" handle
04910 PXC1234M 1/2" - 3/4" capacity with 11-1/2" handle
04920 PEXOH12 1/2" capacity, one hand style

Fits standard PEX using crimp rings

PXC1234M



Shut-Off Tools

04300 PES01 PE Water Service Shut-Off Tool, 3/4"- 1" lines
04281 SS01C PE Shut-off Tool, 30" Handles with Cast Jaws, 3/4"- 1" lines

PES01



Thru-Bolt™ 4-in-1 Ratchet Wrenches


02692 L4N1XP 4-in-1 wrench, dog bone style, sealed edges

L4N1XP





PIPE TOOLS & VISES
SINCE 1896



CP15SCRFLTR

ADD A BATTERY ADAPTER PLATE



CPAPMIL

CP15-38B



CP15COUP



CPMSTR



CP15-38B
in use



CPHOSE7FT

NEED MORE HOSE?



CP15CASE



VIDEO TRAINING



Pump Stick® Cordless Water Transfer Pump

FEATURES

- Battery operated pump transfers water at 15 gal. (57 lt.) per minute.
- Compatible with different battery brands by changing the battery adapter plate.
- Adapter plates fit 18V-20V lithium ion, slide style batteries for some popular brands.
- Rugged, contractor grade, impact-resistant glass filled polycarbonate parts and aluminum body for durability and strength.
- Secure, magnetic hose connection provides fast, reliable link.
- Multiple screen/filter options to suit the job.
- Ships with 6 inch, comfort grip handle.

Catalog No.	Item Code	Description	Weight	
			lbs	kg
CP15-38B	08140	CP15 Pump w/ 2Ft Hose - Base Model Battery NOT incl.	4.5	2.0
CP15-38	08141	CP15 Pump Complete with 2ft Hose, 18V 4Ah Bosch® Battery & Charger in Case	12.0	5.5
CP15-38E	08144	CP15 Pump - Export Only	6.3	2.9

Battery Adapter Plates

Catalog No.	Item Code	Description
CPAPDEW	98140	Fits most DeWalt® 18V-20V slide style batteries
CPAPMIL	98141	Fits most Milwaukee® 18V slide style batteries
CPAPMAK	98149	Fits most Makita® 18V slide style batteries
CPAPBOSCH	98139	Fits most Bosch® 18V slide style batteries

Hoses

Catalog No.	Item Code	Description	Weight	
			lbs	kg
CPHOSE2FT	98143	2-foot (0.6 m) with magnetic connection	0.4	0.2
CPHOSE4FT	98144	4-foot (1.2 m) with magnetic connection	0.7	0.3
CPHOSE7FT	98145	7-foot (2.1 m) with magnetic connection	1.1	0.5
CP15COUP	98147	Hose Coupling with magnetic connection	0.14	0.06

Screens, Strainers & Filters

Catalog No.	Item Code	Description	Contents
CP15MEDSCRN	98166	Medium Screen	3
CP15FINESCRN	98167	Fine Screen	3
CP15CRSCRN	98198	Coarse Screen	3
CP15FILTER	98168	Felt Filter, 100 Micron	2
CP15SCRFLTR	98190	Screen/Filter Assortment	Fine screen (1), medium screen (1), felt filter (1)
CPMSTR	98188	Marine Strainer, Stainless Steel	1
CPRCSTR	98189	Strainer with Domed Center	1

Accessories

Catalog No.	Item Code	Description	Weight	
			lbs	kg
CP15CASE	98193	CP15 Standard Case, Red	4.7	2.1
CP15LCASE	98194	CP15 Large Case, Red	9.0	4.1
CP24HDLGRIP	98184	24" Handle with Grip	0.9	0.4
R5GBUCKET	01240	5-Gallon Bucket	2.1	1.0
CPSTAND	08145	Heavy-duty stand for hands-free use	1.2	0.5

JAVELIN™

Drain Care & Surface Cleaning Solutions.
www.battscan.ca/javelin
info@battscan.ca

ASK ABOUT OUR
ANNUAL BUILDING
MAINTENANCE
PROGRAM

DRAIN CARE & SURFACE CLEANING SOLUTIONS



PRODUCT NAME	Item No.	PRODUCT DESCRIPTION
Kitchen Drain and Septic Treatment	JL1020T06	Safely converts greases, animal and vegetable fats, food scraps and organic matter to water and carbon dioxide. 946 ml / 1 qt Available in 3.79L/1 gal (item 1632610) & 18.9L/5 gal (item 1632611) sizes.
Tub and Sink Treatment	JL1000T06	Dissolves food clogs in sink drains to restore bathroom drain flow capacity. 946ml / 1 qt.
Urinal Treatment	JL1010T06	Dissolves uric acid salt build-up, scale and odor to restore urinal drains back to original flow capacity. 946ml / 1 qt.
Bowl Cleaner	JL1030T06	Toilet surface protector. Bowls stay cleaner, longer. 946ml / 1 qt.
Lime and Scale Remover	JL1040T06	Dissolves hard-water, lime and scale deposits. 946ml / 1 qt.
Rust and Stain Remover	JL1050T06	Dissolves surface rust from most surfaces. 946ml / 1 qt.
Nut and Bolt Loosener	JA1010	Rust penetrant frees rusty nuts, bolts and fittings in seconds. 567g / 20 oz
Drain Deodorizer	JA1000	Foam dissolves odor-causing organic matter found in garbage disposals, waste and overflows, sink, tub & floor drains. Lemon scent. 510g / 18 oz.

FalconGrip® Powder Free Nitrile Disposable Gloves

Powder free, highly resistant to punctures, grease, abrasions and solvents.

50 pairs,
100 individual gloves per box.



Item No.	SIZE
1418067	Medium
1418068	Large
1418069	X Large
1418070	XX Large

Ninja Work Gloves



Product	DESCRIPTION
Ninja® Work Gloves	Coated palm finger tips. Excellent dexterity, treated with actifresh to kill bacteria and promote freshness. Sizes S to XL
Ninja® HPT™ Cold Weather Gloves	Dexterity with terry liner for warmth. HPT coating gives superior grip on wet and dry surfaces. ANSI (abrasion) 3, ANSI (puncture) 2. Sizes S- XXL
Ninja® Ice FC Cold Weather Work Gloves	Repels liquids, double layer insulation. 7 layer terry liner remains flexible to -50 C. HPT™ coating on outside of glove. Sizes S- XXL



The market leader in safe, user friendly, non-toxic chemicals for the HVAC industry.
www.refrigtech.com/products
info@battscan.ca

COIL CLEANER

Use on Condensers & Evaporators
 Non-Toxic, No Odors
 EPA Compliant
 Aluminum Safe



TOP 4 PRODUCTS ARE YOUR COIL CLEANING SOLUTIONS!



RT375A	VIPER COIL CLEANER AEROSOL
RT390G	VIPER HEAVY DUTY COIL CLEANER GALLON
RT300G	VIPER BRITE COIL CLEANER GALLON
RT350G	VIPER EVAP+ EVAPORATOR COIL CLEANER GALLON
RT100S	BIG BLU LEAK DETECTOR QUART
RT175B	BIG BLU BRUSH ON LEAK DETECTOR 8 OZ
RT410S	VIPER HEAT BLOCKING GEL
RT201B	NYLOG BLUE SEALANT 30ML TUBE
RT400P	VIPER WETRAG REUSABLE HEAT BLOCKING PUTTY 12 OZ
RT600D	VIPER WIPES WATERLESS HAND WIPES 80 CT
RT330V	VENOM PACK CONDENSER CLEANER

NEW




WetRag HeatShield
 Item RT420H
 Flame Resistant
 Welding Pad
 12" x 12"



MADE WITH COMMERCIAL GRADE, RUST-RESISTANT GALVANIZED STEEL!

Slant/Fin leads the industry with baseboard heating innovations. The quality you see in our baseboard reflects our commitment to excellence.



www.slantfinbaseboard.com | info@battscan.ca

Fine/Line 30	Most economical; ships complete.
MultiPak 80	High output; available to ship complete; optional elements available
350 Series	Light commercial, high output, slope-top baseboard. 350-10 single tier, 350-14 can accommodate two tiers.
HD-850 Series	Ideal for installation in sites where rugged treatment is anticipated

RevitaLine Revitalize any room in your home quickly & easily with a pre-cut, snap-in-place baseboard cover.



- Aluminum baseboard replacement cover fits most competitive models
- Available in 9 decorator colours
- Easy to install - pre-cut, snap-in-place covers
- Rust-proof!

UNIVERSAL

2023 PRODUCT GUIDE



Brazing filler metals, fluxes, and solders, including SIL-FOS®, the original copper/phosphorous brazing alloy developed and patented by Handy & Harman in 1931.

www.lucasmilhaupt.com | info@battscan.ca

31894	Sil Fos 5 ProPak 3/32" x 20" x 24 rods, ROUND
31896	Sil Fos 15 ProPak 3/32 x 20" x 24 rods, 3/32 ROUND
95120	Handy Flo 6 (.125" x 0.50" x 20") - 28 rods, FLAT 6%
95000	Fos Flo (.125" x .050" x 20") - 28 rods, FLAT 0%
57263	95/5 - 1/8" Dia x 1# Spool
75108	Silvabrite Paste Solder Flux, 4oz (113g) brush cap
97030	Handy Flux - 7 oz jar with brush cap
98010	Silvaloy 452 - 1/16" 1 Troy Oz Clam Shell
98100	Silvaloy 452 Flux coated (Blue) - 1/16" x 18" x 8 rods






The #1 toilet repair brand worldwide.
www.fluidmaster.com
info@battscan.ca

**QUIETEST
ON THE MARKET!**

NEW

**Jam-Bar
Toilet Bolt Lock
Wrench**
7110M-010-P8




Item No.	TOILET FILL VALVES & REPAIR PARTS
PRO45A-001-P25	Fill Valve
PRO45H-020-P10	Fill Valve w/ Bowl Water Level Control
PRO45B-002-P25	Fill Valve w/ Brass Shank
PRO22	Fill Valve Seal
PRO35	Fill Valve Cap

Item No.	FLUSH VALVES
PRO57A-013-P10	2" Flush Valve
PROS3AELP15	Replacement Flush Valve Seals (3 Pack)- Fits American Standard® Champion 4 and Eljer® Titan 4
PROS3KP15	Replacement Flush Valve Seals (3 Pack)-Fits Kohler® AquaPiston and American Standard® Champion 3
PROS3MAP15	Replacement Flush Valve Seals (3 Pack)- Fits Mansfield® 210 & 211

Item No.	FLAPPERS
PRO53	UNIVERSAL FLEXIBLE FLAPPER W/MICROBAN®
PRO56	UNIVERSAL ADJUSTABLE FLAPPER W/MICROBAN®
PRO54	CHLORINE RESISTANT HEAVY DUTY FLAPPER
PRO55	UNIVERSAL ADJUSTABLE FLEXIBLE FLAPPER
PRO58	UNIVERSAL 3" ADJUSTABLE TOILET FLAPPER

Item No.	TOILET TANK LEVERS
640CP10	PERFECT FIT™ LEVER - WHITE
641CP10	PERFECT FIT™ LEVER - CHROME
PRO61	CHROME TANK LEVER
PRO64	DESIGNER CHROME TANK LEVER
680C	BASIC TANK LEVER - WHITE
683C	TANK LEVER - WHITE

Item No.	WATER SUPPLY CONNECTORS
B1F12	CONNECTOR-FAUCET/12 IN., 3/8" Comp x 1/2" FIP
B1F16	CONNECTOR-FAUCET/16 IN. 3/8" Comp x 1/2" FIP
B1F20	CONNECTOR-FAUCET/20 IN. 3/8" Comp x 1/2" FIP
B1T12	CONNECTOR/TOILET/12 IN. 3/8" Comp x 7/8" Ballcock
B1T16	CONNECTOR-TOILET/16 IN. 3/8" Comp x 7/8" Ballcock
B1T20	CONNECTOR-TOILET/20 IN. 3/8" Comp x 7/8" Ballcock



Access Panels
 8" x 8" AP-0808C
 14" x 14" AP-1414C



Better Than Wax
 Wax-Free Seal
 PRO7530T-001-P24

DETAILS

- Complete line of lead-free connectors
- Stainless Steel
- Pressure test & leak test 100% of the connectors
- Lot traceability
- NSF certified
- 5-year warranty

Also available for Water Heater, Washing Machine, Dishwasher, Icemaker

Demand the Industry Standard

Standard Flexible Couplings

ABOVE & BELOW GROUND

FEATURES:

- Connects pipes of same or different materials and sizes
- Leak-proof, root-proof and resistant to many chemicals, ultra violet rays, fungus growth and normal sewer gas

CERTIFICATIONS:

- Conforms to **ASTM D 5926, C 1173** and **CSA B602**
- *Verify with local code officials



1000RC / 5000RC Series Couplings

BELOW GROUND

FEATURES:

- High torque clamps spot welded in place
- Designed for resistance to heavy earth loads and shear forces
- Mechanical coupling for drain, waste, vent and sewer pipe

CERTIFICATIONS:

- Gasket conforms to **ASTM D 5926, C 1173** and **CSA B602**



Specialty Couplings PROFLEX

ABOVE GROUND

FEATURES:

- Shielded transition coupling
- Creates rigid, long-lasting pipe joints
- Connects cast iron, plastic, steel, copper and tubular pipe

CERTIFICATIONS:

- Gasket conforms to **ASTM C 564**
- Shielded Coupling conforms to **ASTM C 1460** and **CSA B602**



Tee & Wye Tap Saddles

BELOW GROUND

FEATURES:

- Available for most 4" or 6" plastic or cast iron drain pipe inlets in Tee or Wye configurations
- Fits any type of pipe 6"-15"*
- *Extension Clamps larger than 15" sewer mains
- Specially formulated high durometer PVC
- Ensures a soil-tight seal*
- *Use Fernco Tap Saddle Pressure Kit for water-tight connection up to 10 PSI.

CERTIFICATIONS:

- Conforms to **ASTM D 5926**



Flexible Chemical Couplings

ABOVE & BELOW GROUND

FEATURES:

- Provide flexible & watertight, highly chemical resistant, connections on drainage system
- Transitions dissimilar chemical piping and sizes
- Chemical resistant drain system, connects chemical waste piping to waste tanks

CERTIFICATIONS:

- Conforms to **ASTM C 1173**



HyperFlex Leak Stoppage

ABOVE & BELOW GROUND

FEATURES:

- Single component, pre-catalyzed, non shrinking hydrophobic polyurethane grout
- Stops low-flowing water infiltration
- Water activated reaction; no added catalyst required
- Flexible foam with excellent sealing & adhesion qualities
- Ideal for use in barrel joint repair, manholes, vaults and other concrete, brick or stone structures

CERTIFICATIONS:

- **NSF/ANSI/CAN 61** approved for contact with potable water



Expansion Joint Couplings

ABOVE GROUND

FEATURES:

- Residential and commercial applications
- Applicable for drain, waste and vent stacks, and interior rain water conductor systems
- Unique one-piece construction

CERTIFICATIONS:

- Conforms to **CSA B602**



Wax Free Toilet & Urinal Seals

ABOVE GROUND

FEATURES:

- Strong and flexible adhesive creates positive seal
- Impervious to mold and mildew
- Maintains gas, water, and odor tight seal
- Toilet Seal accommodates floors above the toilet flange to 3/4"

CERTIFICATIONS:

- Conforms to **ASTM A 1045**



Battscan Power Marketing represents Fernco in Southwestern Ontario region.

Connection Solutions

THE HULK COUPLING



**Strong. Flexible.
Steel Reinforced
Universal Coupling**



Certifications:
Conforms to **ASTM C 1173** and **CSA B602**

HULK Coupling Benefits

- One universal coupling connects most pipe materials
- One coupling per nominal size
- Heavy duty, multi-dimensional, non-shear sewer & drain coupling
- Protects the pipe against ground movement
- Embedded with Stainless Steel Rods for shear resistance

Part Number	Size	Dimensional Range
HULK 4	4"	5.60" - 4.20"
HULK 5	5"	6.70" - 5.30"
HULK 6	6"	8.00" - 6.20"
HULK 8	8"	10.15" - 8.40"
HULK 10	10"	12.75" - 10.50"
HULK 12	12"	15.30 - 12.50"

ICON Pushfit

**Internal Pushfit Connector -
4" & 6" Sewer Pipe and DWV**

ICON Coupling Benefits

- No tools required
- Use where standard couplings cannot be used
- No need to expose external surface of pipe
- Watertight connection on any pipe material
- Can be removed and re-used



Certifications:
Conforms to **ASTM C 1173**

Product Code	Nominal Dia. (inch)	Description
IC44P	4	Connects two pipes having an I.D. range of: 3.90"-4.06"
IC66P	6	Connects two pipes having an I.D. range of: 5.83"-6.02"

For a coupling to perform like a Fernco... IT MUST SAY FERNCO

Battscan Power Marketing represents Fernco in Southwestern Ontario region.



Partners in Your Success

Battscan Power Marketing is a multiple-line Field Sales agency who partner with Manufacturers, Distributors and Contractors for strategic success. Our experienced, multifaceted teams built the strong relationships necessary to support a number of highly valued, compatible products and services within a vast territory.

We pride ourselves in maintaining a high level of Expertise, Training and Customer Support.

- ✓ **KNOWLEDGEABLE** We invest heavily in acquiring knowledge of industry trends, required certifications and engineering standards.
- ✓ **RELIABLE** We understand that industry knowledge and relevant training is the cornerstone of all successful businesses.
- ✓ **DEDICATION** We are committed to frequent interactive trainings and ongoing educational sessions for all our installers and contractors.



SCAN ME

BATTscan Power Marketing

621 Oakridge Drive, London, ON N6H 3G3

www.battscan.ca | info@battscan.ca | Office 519-856-1380

To contact your territory manager, visit: www.battscan.ca/team